

Notification of the Use of Pesticides

(This notice should be received at least 72 hours prior to pesticide use)

Date Issued: 12/13/21

To: Parents/guardians of students, and staff of Linden High School

From: The School IPM Coordinator: Larry Miranda Phone Number: 908-862-0950

This notice is to advise you that the following pesticides will be used at Linden High School

Pyrethrins, Piperonyl Butoxide	PI Contact Insecticide	499-444
Deltamethrin	Suspend SC	432-763
Acephate	Orthene PCO Pellets	5481-8973

Location of the pesticide application: Kitchen, cafeteria,

Reason for the pesticide application: German Roaches

Date and time of application: DATE 12/17/21. TIME 3:00pm

If an outdoor application, 3 dates must be listed, in chronological order, on which the outdoor application may take place if the preceding date is canceled; and the time the application is scheduled to occur.

DATE / TIME INDOOR DATE / TIME INDOOR DATE / TIME INDOOR

Description of the possible adverse effects of the pesticides as per the Material Safety Data Sheets for the pesticides to be used, if available: (PI) Primary routes of exposure: Routes of entry for solids and liquids include eye and skin contact, ingestion, and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases. Acute toxicity: Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation. Irritation / corrosion: May cause slight irritation to the eyes. May cause slight irritation to the skin. (Suspend SC) Caution! Hazard to humans and domestic animals. Harmful if inhaled. Contact with product may result in transient tingling and reddening of the skin. (ExiteR) Symptoms of Acute Exposure: Ingestion: May cause gastrointestinal effects, such as nausea, cramps, vomiting and diarrhea. Ingestion of large quantities can result in nervous system effects, such as dizziness, loss of coordination, tremors, and loss of consciousness. Symptoms usually regress with no long-lasting effects. At high oral doses, the type of solvent in this product has caused irreversible damage to the liver and kidney (male only) in rats. These effects are not relevant to humans at occupational levels of exposure. Eyes: May cause temporary eye irritation. Skin: May be irritating to skin. Repeated contact may cause dermatitis. Inhalation: May cause nasal and respiratory irritation at high concentrations. Medical Conditions Generally Aggravated by Exposure: None known. (Orthene) ACEPHATE is a Cholinesterase Inhibitor. Harmful if swallowed or absorbed through the skin. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Do not contaminate feed or foodstuffs. (Pyrocide 100) EYES: May cause temporary irritation, tearing, and blurred vision. SKIN: Can cause skin irritation. Can cause a burning or prickling sensation on more sensitive areas (face, eyes, mouth). Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. SKIN ABSORPTION: Harmful if absorbed through the skin.